



The molecular and physiological roles of ABCC6: more than meets the eye

Submitted by Emmanuel Lemoine on Tue, 02/24/2015 - 16:14

Titre	The molecular and physiological roles of ABCC6: more than meets the eye
Type de publication	Article de revue
Auteur	Le Saux, Olivier [1], Martin, Ludovic [2], Aherrahrou, Z. [3], Lefthériotis, Georges [4], Varadi, A. [5], Brampton, C. N [6]
Editeur	Frontiers
Type	Article scientifique dans une revue à comité de lecture
Année	2012
Langue	Anglais
Date	2012
Volume	3
Titre de la revue	Frontiers in Genetics
ISSN	1664-8021
Résumé en anglais	<p>Abnormal mineralization occurs in the context of several common conditions, including advanced age, diabetes, hypercholesterolemia, chronic renal failure, and certain genetic conditions. Metabolic, mechanical, infectious, and inflammatory injuries promote ectopic mineralization through overlapping yet distinct molecular mechanisms of initiation and progression. The ABCC6 protein is an ATP-dependent transporter primarily found in the plasma membrane of hepatocytes. ABCC6 exports unknown substrates from the liver presumably for systemic circulation. ABCC6 deficiency is the primary cause for chronic and acute forms of ectopic mineralization described in diseases such as pseudoxanthoma elasticum (PXE), beta-thalassemia, and generalized arterial calcification of infancy (GACI) in humans and dystrophic cardiac calcification (DCC) in mice. These pathologies are characterized by mineralization of cardiovascular, ocular, and dermal tissues. PXE and to an extent GACI are caused by inactivating ABCC6 mutations, whereas the mineralization associated with beta-thalassemia patients derives from a liver-specific change in ABCC6 expression. DCC is an acquired phenotype resulting from cardiovascular insults (ischemic injury or hyperlipidemia) and secondary to ABCC6 insufficiency. Abcc6-deficient mice develop ectopic calcifications similar to both the human PXE and mouse DCC phenotypes. The precise molecular and cellular mechanism linking deficient hepatic ABCC6 function to distal ectopic mineral deposition is not understood and has captured the attention of many research groups. Our previously published work along with that of others show that ABCC6 influences other modulators of calcification and that it plays a much greater physiological role than originally thought.</p>
URL de la notice	http://okina.univ-angers.fr/publications/ua8441 [7]
DOI	10.3389/fgene.2012.00289 [8]
Lien vers le document	http://dx.doi.org/10.3389/fgene.2012.00289 [8]

Liens

- [1] [http://okina.univ-angers.fr/publications?f\[author\]=987](http://okina.univ-angers.fr/publications?f[author]=987)
- [2] <http://okina.univ-angers.fr/ludovic.martin/publications>
- [3] [http://okina.univ-angers.fr/publications?f\[author\]=15014](http://okina.univ-angers.fr/publications?f[author]=15014)
- [4] <http://okina.univ-angers.fr/g.lefther/publications>
- [5] [http://okina.univ-angers.fr/publications?f\[author\]=13409](http://okina.univ-angers.fr/publications?f[author]=13409)
- [6] [http://okina.univ-angers.fr/publications?f\[author\]=15025](http://okina.univ-angers.fr/publications?f[author]=15025)
- [7] <http://okina.univ-angers.fr/publications/ua8441>
- [8] <http://dx.doi.org/10.3389/fgene.2012.00289>

Publié sur *Okina* (<http://okina.univ-angers.fr>)